

# NINCO HOBBY



**NINCO**

**DIGITAL**

**NINCO S**

**NINCO 1**

**XLOT**



### CUSTOMER ON-LINE SERVICES



SPARE PARTS



HANDBOOK DOWNLOADS



WHERE TO BUY



COMING SOON



FOLLOW US [www.twitter.com/nincohobby](http://www.twitter.com/nincohobby)



**NINCOHOBBY**

**NINCOAIR**  
RC PLANES

**NINCOAIR**  
RC HELIS

**NINCO4RC**

**NINCOCCAN**

# NINCO

Ninco manufactures cars and race tracks to the highest quality specifications available that are distributed in over 50 countries worldwide.

The widest range of cars in varying scales and with different performance features depending on the level of the end user; The most complete range of digital and analogue track systems; The variety of accessories and spares for NINCO provide the hobbyist with all the emotion and passion of the competitive world of Motorsport.



TRACK SYSTEM

Pag. 4



N-DIGITAL

Pag. 18



CARS 1/28

Pag. 26



CARS 1/32

Pag. 32

# NINCO HOBBY

NINCOHOBBY is a serious commitment to hobby in all its aspects, especially today the slot and radio-control markets. It is the result of years of experience in manufacturing and marketing NINCO worldwide, the reference brand in slot for quality and performance.

Since 2007 our product offering to the hobby channel has diversified in order to offer today a wide range of own-brand, differentiated radio-control products including planes, cars, helicopters and boats, always with the NINCO quality seal.



RC HELIS

Pag. 46



RC PLANES

Pag. 56



RC BOATS

Pag. 64



RC CARS

Pag. 68




# TRACK SYSTEM

156mm  
OTHER BRANDS




180mm



180 mm

8







## 1 THE THREE SURFACES

**ASPHALT:** More grip for driving at high speed, last minute braking and hard driving into bends.

**OFF ROAD:** Dirt tracks with irregular surfaces, potholes and obstacles over which speed is not the only concern but staying on the track.

**SNOW:** Tyres offer very little resistance on this surface and the car slides around almost every bend.

## 2 COMPATIBILITY

The NINCO track system is compatible with the majority of other 1:32 track systems via the use of the NINCO track adaptor.

## 3 EASY CLIP

Patented system that facilitates easier setting up and dismantling.

## 4 CONNECTION RELIABILITY

Integrated electric connectors have 3 sides with which to make a perfect connection with maximum conductivity, no need to use booster lines between track sections to maintain current.

## 5 INSULATED RAIL

The metal rails are separated by a flexible plastic guard; this eliminates the possibility of short circuiting. It Gives the guide a longer useful life and facilitates a smoother passage of the car through the rail.

Greater guide depth, 6.5mm

## 6 ANALOGUE TO DIGITAL

NINCO's track system allows setting up analogue and digital track sections using either the standard connection straight or the digital console with lane changer track pieces, the rest of the systems are compatible with both NINCO analogue and N-Digital.

## 7 COVERED RAIL

The underside of the track piece is covered to prevent dirt getting in and also allows you to mount the track on any surface.

## 8 WIDER TRACKS

Ninco tracks are 180mm wide; the measurements are adapted to the size of modern cars so as to be able to race in all scales unhindered.


# CIRCUITS

## STARTER PRO V.II



 8,51m / 27' 11"

### ALTERNATIVE CIRCUITS



Beginner's circuit with a special permanent layout, this circuit can be digitalized and does not include cars.

Specially designed for the longest layout in the minimum available space.

**REF: 20153**

## CONTENTS



x20



x7



x1



x1



x15



x15



x2



x2



x2



x4



x1



x1



x1

## MUSTANG SHOWDOWN

 5,80m / 19' 0"



2 X MUSTANG GTR

REF: 20154

## CONTENTS



x10



x6



x1



x2



x10

x10



x2



x2



x2



x1



x1



x1



x1



x1



# CIRCUITS

## EUROCUP MEGANE



 8,51m / 27' 11"


### ALTERNATIVE CIRCUITS



2,46m  
1,34m



2,87m  
1,34m



1,72m  
3,25m

Beginner's circuit with a special permanent layout, this circuit can be digitalized and includes 2 Megane Trophy

Specially designed for the longest layout in the minimum available space.

**REF: 20155**

## CONTENTS



x20



x7



x1



x1



x15

x15



x2



x2



x2



x4



x1



x1



x1



x1




x1

## AUTOBAHN RACERS

 8,51m / 27' 11"



### ALTERNATIVE CIRCUITS



Long layout professional track in minimum space, this circuit can be digitalized and includes Audi R8 & Mercedes SL5

Specially designed for the longest layout in the minimum available space.

**REF: 20156**

### CONTENTS



x20



x7



x1



x1



x15

x15



x2



x2



x2



x4



x1



x1



x1



x1



x1



# CIRCUITS

## PROAM EVO



 9,90m / 32' 5"

### ALTERNATIVE CIRCUITS



#### Professional Circuit

This circuit can be digitalized and does not include cars.

Specially designed for the longest layout in the minimum available space.

REF: 20157

## CONTENTS





## MASTER SPORT LOTUS EDITION


 14,37m / 47' 2"



2 X LOTUS EXIGE



2,70m  
1,52m



3,88m  
1,99m



4,36m  
2,17m

ALTERNATIVE CIRCUITS

**Professional Circuit**  
Includes 2 lotus exige.  
This circuit can be digitalized.

Circuit specifically designed to fit on to a Table Tennis Table.

**REF: 20150**

### CONTENTS



x29



x6



x10



x1



x5



x2



x30

x30



x2



x2



x11



x1



x1



x1



x1



x1


# CIRCUITS

## MASTER TRACK



 15,7m / 51' 6"

## ALTERNATIVE CIRCUITS



Professional circuit.  
this circuit can be digitalized and does not include cars.

Circuit specifically designed to fit on to a Table Tennis Table.

REF: 20149

## CONTENTS





## FOUR LANES




Q 13,46m / 44' 2"



2,28m  
4,00m

Q 26,52m / 87'



2,67m  
4,82m

ALTERNATIVE CIRCUITS



Professional four lane circuit, multiple 2 and 4 lane configurations this circuit can be digitalized and does not include cars.

Includes modified N-Lifter track elevators, specifically designed to support a four lane track.

REF: 20151

## CONTENTS



x16



x36



x4



x32



x2



x4



x30



x30



x6



x2



x2



x2




# TRACK PIECES

## EXTENSION KITS

Uniform packaging for all extension kit variations, difference in contents indicated on top of box. Extend any circuit with asphalt, raid or snow track pieces. Enjoy the compatibility of all the different NINCO track systems, analogue and digital.



### CHICANE




### CHANGE OVER CURVE



### SNOW CURVE







### ROUNDAABOUT



### DUNE






### TRACK CONNECTOR PIECE (exclusive to analogue)

**x1 = 10401**      Independent connections for each lane. 1 x independent transformer per lane, jack plug connector 6.35mm.

**x1 = 10101**      Transformer for both lanes, 3.5mm jack plug, and polarity switch to change direction of play.



# ACCESORIES

## ANALOGUE ACCESSORIES

TRANSFORMER



12V / 1A

REF: 10301

EXTENSION CABLE



3m

REF: 10303

CONTROLLER 55 PLUS



Resistance 55 Ohm

REF: 10310

ADAPTOR PLUG



6,35 a 3,5

REF: 10307

ADAPTADOR PLUG



3,5 a 6,35

REF: 10306

POWER N



Adjustable transformer

REF: 10412

CONTROLLER 35 PLUS



35 Ohm resistance

REF: 10313

ELECTRONIC CONTROLLER SPORT



Professional controller 1/32

REF: 10410

10310

10313

10410

NINCO 1

RECOMMENDED

NINCO SPORT

RECOMMENDED

RECOMMENDED

Voltage adjustable from decimal accuracy

LCD screen,  
4 x exit ports NINCO  
12V/0,5A 8-20V/3A

- 2 NINCO connector
- 2 Universals

N-SCORER



REF: 10409

## UNIVERSAL LAP COUNTER

Programmable for counting lap time or n° of laps, partial times and fastest lap, traffic light race start sequence, also indicates fastest lap and winning car.



## UNIVERSAL ACCESSORIES

6 + 6 RED AND WHITE BARRIERS



REF: 10201

12 x GREY BARRIERS



REF: 10219

6 x SAFETY WALL



REF: 10220

4 x STONE WALL



REF: 10252

2 x BOOSTER CABLES



3 M

REF: 10314

N-LIFTER



REF: 10222

TRACK ELEVATOR SET



REF: 10221

10 x BARRIER BANNERS



REF: 10214

6 x BANKING SUPPORTS



5 different positions

REF: 10217

12 x CLIPS



holds track sections together in circuits of more than 2 lanes


REF: 10213

## N-LIFTER

Make the most of available space.

Universally compatible system.

Hundreds of configurations.



## THE NEW GENERATION OF SLOT

### 1 COMPATIBLE

Slot racing was not invented yesterday and bearing in mind slot fans from all over the world, N-Digital stands for continuity and not a break from the norm. All cars can be digitalized, as can any set with any type of surface, and up to 10 lanes.

### 2 REVERSIBLE

Total flexibility to change from analogue to digital. The compatibility of cars and track is fully reversible, and changing from one system to another is very easy. Just by adding or removing 2 track pieces and the digital chips inside the cars.

### 3 EXTENDIBLE

N-Digital is extendible thanks to its compatibility with the entire analogue range of accessories and digital kit accessories, which offer a wider choice of fun and features in all race modes offered by the digital console.

### 4 LANE CHANGING

N-Digital offers a new concept for slot racing allowing overtaking and selection of the best racing line in corners, total freedom of decision of the driver who chooses on which lane he wants to run.

### 5 FROM 1 TO 8 CARS

N-DIGITAL is the only system on the market that allows up to 8 racers at any one time. The 2 lane track takes on a whole new dimension, more cars where before only 2 could race, more racers in the same space.

### 6 DIFFERENT RACE MODES

The multifunction console offers 7 different race modes.

GP	Grand Prix – speed racing in laps
WR	World Rally, individual race times
FL	Fastest Lap, looking for Pole Position
NS	Non Stop endurance racing
PS	Pit Stop endurance with Pit strategy
AG	Arcade group, eliminator race
AS	Arcade Single, Individual racing against the console.





### N-DIGITAL KIT

Converts any analogue track to digital, contains 2 x lane changer pieces and 3 x chips to digitalize cars. Contains the minimum necessary to turn an analogue track into a digital one.



REF: 40202



### CHIP DECODER

Adapts any NINCO analogue car to N-Digital.


REF: 40304



Use as reference the red spot on the motor.



# DIGITAL SYSTEM

 7,86m / 26'

## N-DIGITAL STARTER BOX



2 x PORSCHE



## ALTERNATIVE CIRCUITS




Circuit with digitalized cars, set up and play straight from the box.

**REF: 40105**

## CONTENTS




 14,28m / 46' 10"

## MASTER TRACK N-DIGITAL



### ALTERNATIVE CIRCUITS

2,67m  
1,48m



4,13m  
1,79m

4,21m  
1,98m



Long layout Professional Racetrack designed for minimum space occupation, The longest digital racetrack on the market, include 4 x lane changer track pieces, does not include cars.

Specifically designed to fit on a Table Tennis Table

**REF: 40104**

## CONTENTS



x6



x18



x4



x2



x5



x1



x2



x2



x12



x1



x15



x2



x15



x2



x7



x1



x3



x3



# DIGITAL SYSTEM




REF: 40203

## PIT LANE KIT ▲

Add strategy to the competition with pit stops to add fuel, only available in PS mode.

Connected via cable to the console.



REF: 40205

## CONTROL TOWER ▲

Informs of positions and laps during the race, indicates the position of up to 8 cars, 360° flexibility so it can be seen from any part of the track, possibility to add more than one tower per track.



REF: 40204

## MULTILANE KIT ▲

To make digital tracks of 4-6-8 and 10 lanes, allows passage from lane 2 to 3, 4 to 5, 6 to 7 and 8 to 9, Any one track will allow various multilane kits. Requires use of the multilane sensor, ref: 40206.



## LANE CHANGE IN CURVE ▲

Choose the best racing line or overtake in the curve  
Works in both directions.

REF: 40208







REF: 40301

## N-DIGITAL CONTROLLER

Vibrating pulse informs of fastest lap, last lap and when a pit stop is necessary.

Button for lane changing.



## PROGRESSIVE CONTROLLER

REF: 40307

Controller with adjustable delivery of power. Vibrating pulse informs of fastest lap, last lap and when a pit stop is necessary.

Button for lane changing.



REF: 40305

## CONTROLLER EXTENSION CABLE

2.5M of extended cable.



REF: 40306

## MULTICONECTOR

To connect more than 1 accessory: (Pit Lane + Multilane Sensor).



REF: 40206

## MULTILANE SENSOR

Necessary to control the finish line in circuits of more than 2 lanes. Every 2 new lanes, 1 x new sensor piece is required.

The cable is connected to the digital console

In the case of 2 or more multilane sensors, ref 40306 multi-connector is necessary.



REF: 40303

## TRANSFORMER

14V 3A Transformer, the only transformer valid for N-Digital.



REF: 40207

## DOUBLE LANE CHANGER

## FAQ'S

### FREQUENTLY QUESTIONS

#### **Can you use analogue tracks and cars for playing with N-Digital?**

Yes, N-Digital is compatible with the analogue range of slot tracks and cars. With the Digital Kit you can digitalize any set when the tracks are in good condition, over all 3 track surfaces. With the N-Digital chip any car is valid for the N-Digital system.

#### **How many cars can race at the same time with N-Digital?**

N-Digital allows using up to 8 cars at the same time, providing it is a 2, 4, 6, 8 or 10 lane circuit.

#### **What are the new exclusive track sections for N-Digital?**

The lane changer tracks let you change lane for overtaking your rivals, choosing the best racing line and accessing the pit lane. The console converts a digital set into analogue, identifies the cars and lets you program up to 7 different race modes with varying skill levels.

#### **How do I change lane for overtaking?**

By pressing the controller's button when the car passes over the small section of dead track.

#### **Does a car equipped with N-Digital Chip work over an analogue track?**

To make it work you must disconnect the chip from the guide and connect the cables from the motor to the guide directly. However, there is no need to remove the chip from inside the car.

#### **What happens if we place an analogue car, without a chip, on a digital circuit?**

As in the digital track there is always 100% current, the car will run immediately at top speed.

#### **Should there be any alteration to the track set up?**

Yes, the direction of play must be respected; indicated by the arrow of the N-Digital console. The lane changers also have only one correct position. The standard analogue powerbase must always be removed.

#### **Can I play analogue Slot without removing Digital track sections?**

No, the Console track piece must be removed. If it is changed for the regular connection straight, the lane changer pieces must also be removed. If the console is changed for the Double Power connection straight, the lane changer pieces may remain in place, however you will only be able to drive 1 car on the track, the lane changers will not change lane but will allow the car to pass over them, for 2 drivers, the lane changers must be removed.

	INCIDENT	PROBLEM	SOLUTION	CHECKING
TRACK	Console not working	Connection to power source	Check console is plugged in	The word CAR appears on console screen
		Inadequate transformer	Use only the transformer N-Digital	The word CAR appears on console screen
	Irregular functioning on some part of the track	Dirt in the tracks or bad track connection	Clean or replace dirty or broken track pieces	Car passes over all track pieces evenly
CONTROLLER	Not working or malfunctioning	Braids excessively worn	Clean braids, check length and ensure good contact with track	With the guide still inside the rail, raise the rear end of the car, accelerate and check wheels turn.
		Car placed over dead piece of track	Place the car on any part of the track except over the dead piece	Accelerate and check car drives
		Chip incorrectly inserted	Remove cables from guide and swap over the connection	Accelerate and check car drives
CAR	Car goes backwards	Chip incorrectly inserted	Remove the cable from the motor and swap over the connection	Accelerate and check car drives
CONTROLLER	Car will not change lane	Pressing lane change button at wrong place	Lane change will only be activated if the button is pressed whilst the car passes over the dead piece of track ahead of the changer	Pick car up and pass it over the lane changer manually, pressing the button on the controller, change over gate should move
		Lane changer track piece connected the wrong way round	Turn the track piece around so the arrows coincide with the direction of play	Pick car up and pass it over the lane changer manually, pressing the button on the controller, change over gate should move
	Controller not working	Pulling the trigger, nothing happens	Try with another controller in the same port	Try with another controller in the same port Insert another controller into the same port, check car works

Important:

Ninco guarantees the correct functioning of the chip in all Ninco cars. In models from other manufacturers Ninco will not be held responsible for the correct functioning of the car.



# 1/28 SCALE RACING

# XL SIZE DESIGNED FOR COMPETITION RACING



XLLOT®



### ■ DROP ARM GUIDE

- Adjustable in length, height and spring tension.
- Rib shaped.

### ■ HUBS

- Aluminium hubs
- Real hubcaps.

### ■ BODY MOUNTING

- No tools required, easy and quick access.


### ■ MOTOR TRANSMISSION

- Belt driven.
- Pinion screwed into position.

### ■ MOTOR POSITION

- Sidewinder.
- Adjustable in length and height.

ABS  
CHASSIS



XLLOT®



### ■ BODY MOUNTING

- No tools required, easy and quick access.

### ■ MOTOR TRANSMISSION

- Belt driven.
- Pinion screwed into position.

### ■ MOTOR POSITION

- Sidewinder.
- Adjustable in length and height.

### ■ REAR DRIVE TRAIN

- Fixed into position by screws and adjustable in height.

### ■ DROP ARM GUIDE

- Adjustable in length, height and spring tension.
- Rib shaped.

### ■ GUIDE

- Silicone cables with self centring fixing and longer arm.

### ■ FRONT DRIVE TRAIN

- Pivoting.
- Adjustable in both position and tolerance.

### ■ HUBS

- Aluminium hubs
- Real hubcaps.

METAL  
CHASSIS

LANCIA STRATOS ALITALIA



<b>FLEX</b>	REF: 60015
<b>METAL</b>	REF: 60014

LANCIA STRATOS PIRELLI



<b>FLEX</b>	REF: 60017
<b>METAL</b>	REF: 60016

BMW M3 WARSTEINER



<b>FLEX</b>	REF: 60012
<b>METAL</b>	REF: 60007

BMW M3 PONCE



<b>FLEX</b>	REF: 60013
<b>METAL</b>	REF: 60008



# XLOT COMPONENTS

4 x WIDE TYRE



24,2 x 11,6 SHORE A-30

REF: 61501

4 x NARROW TYRE



22,3 x 8 SHORE A-30

REF: 61502

4 x WIDE TYRE



24,2 x 11,6 SHORE A-20

REF: 61503

4 x WIDE TYRE



24,2 x 11,6 SHORE A-50

REF: 61504

4 x NARROW TYRE



22,3 x 8 SHORE A-60

REF: 61505

2 + 2 HUBCAPS



BBS

F430

BMW

STRATOS

REF: 61701

REF: 61704

REF: 61707

REF: 61708

2 x WIDE HUBS ID RADIOS



18,6 x 11,6

REF: 61705

2 x NARROW HUBS ID RADIOS



16,3 x 8

REF: 61706

2 x WIDE HUBS STD



18,6 x 11,6

REF: 61702

2 x NARROW HUBS STD



16,3 x 8

REF: 61703

2 x WIDE HUBS STRATOS



18,6 x 11,6

REF: 61709

	FRONT TYRE	REAR TYRE	FRONT WHEELS	REAR WHEELS	AXLE	HUBS
▶ PORSCHE 997	22,3 x 8	24,2 x 11,6	16,3 x 8	18,6 x 11,6	Ø 3 x 61	REF 61701
▶ F430	22,3 x 8	24,2 x 11,6	16,3 x 8	18,6 x 11,6	Ø 3 x 65	REF 61704
▶ BMW M3	22,3 x 8	22,3 x 8	16,3 x 8	16,3 x 8	Ø 3 x 53	REF 61707
▶ LANCIA STRATOS	22,3 x 8	24,2 x 11,6	16,3 x 8	18,6 x 11,6	Ø 3 x 53	REF 61708



TRANSMISSION 30/7z



Plástico

REF: 61202

TRANSMISSION 30/7z



Duraluminio

REF: 61203

TRANSMISSION 32/8z



Duraluminio

REF: 61204

2 x TRANSMISSION BELT 45z



REF: 61201

2 x TRANSMISSION BELT 42z



REF: 61205

2 x AXLE



Steel Ø3x61

REF: 61401

2 x AXLE



Steel Ø3x65

REF: 61402

2 x AXLE



Steel Ø3x53

REF: 61403

MOTOR XLI



REF: 61601

MOTOR XL2



REF: 61602

4 x BUSHINGS



REF: 61403

2 x BALL BEARING



REF: 61404

4 x TOP AXLE



REF: 61402

2 x GUIDE



REF: 61101

2 x CABLE 150mm



REF: 61102

# XLOT COMPONENTS

CHASSIS V.01



REF: 61801

PLASTIC CHASSIS BALLAST



REF: 61807

DROP ARM GUIDE



REF: 61103

FRONT DRIVERTRAIN HOUSING



REF: 61405

CHASSIS V.01 METAL KIT



REF: 61806

REAR DRIVERTRAIN HOUSING + MOTOR



REF: 61406

BODYSHELL FIXING KIT



REF: 61804

SCREWS KIT



REF: 61901

CHASSIS BMW



REF: 61808

CHASSIS STRATOS



REF: 61809

NEW



## COCKPIT LEXAN

- |                  |           |
|------------------|-----------|
| ▶ PORSCHE 997    | REF 61811 |
| ▶ F430           | REF 61813 |
| ▶ BMW M3         | REF 61815 |
| ▶ LANCIA STRATOS | REF 61817 |



BODYSHELL PORSCHE 997



REF: 61802

BODYSHELL BMW M3



NEW

REF: 61805


BODYSHELL LANCIA STRATOS



NEW

REF: 61810

SETUP BOARD



REF: 61902


## SETUP BOARD

A SET-UP base in order work with maximum precision whilst preparing cars for competition. A calibrated Perspex base engraved in millimetres. Comes with 3 x feeler gauges 40x90mm for adjusting the height of the chassis from 1 / 1,5 / 2 mm Valid for both XLOT and 1:32



## ELECTRONIC XLOT CONTROLLER

REF: 10411





**NINCO** 

The 1/32 range of slot cars from NINCO. Maximum fun on the home track 100% RTR (Ready To Run). Magnetic slot racing with a motor specially designed for domestic use. Simple mechanics & bodywork designed to be impact proof.

- 1 Rear seated magnet
- 2 More space inside
- 3 Motor designed for domestic use
- 4 Motor NC II/ 14,8V / 16.000 r.p.m
- 5 Easy digitalisation / push on terminals
- 6 High resistance impacts
- 7 Models of international prestige
- 8 Accuracy of reproduction

1/32  
**SLOT**  
**HOME USE**



**NINCO** <sup>SPORT</sup> 

1:32 Scale cars with competition racing features. Body Shells designed for racing. Chassis with adjustable motor mount. Fully upgradable with hi-spec spares for competition.

- 1 Rear seated magnet
- 2 In-line and Angle-winder mountings
- 3 Lightning and Lightened versions
- 4 Materials: Titanium, Alumag...
- 5 Easy digitalisation / push on terminals
- 6 Detailed interior
- 7 Models of international prestige
- 8 Accuracy reproduction

1/32  
**SLOT**  
**COMPETITION**



FORD MUSTANG "OHIO"



REF: 55032

FORD FIESTA S 2000 "PONS"



REF: 55034

SEAT LEON "VEBA"



REF: 55033

CORVETTE "SANGARI"



REF: 55024

RENAULT MEGANE "KINESPORT"



REF: 55025

CAMARO "DAYTONA"



REF: 55035



LAMBORGHINI DIABLO "VALVOLINE"



REF: 50561

SEAT LEON "MC GREGOR"



REF: 50580

MERCEDES SLS GT3 "SILVER"



REF: 50578

LANCIA 037 "MARTINI"



REF: 50582

LAMBORGHINI MURCIELAGO "BLANCPAIN"



REF: 50569

FORD GT "MEDLEY"



REF: 50533



FORD FIESTA S 2000 "MONSTER"



REF: 50579

RENAULT MEGANE "UNZURRINZAGA"



REF: 50556

FORD SIERRA COSWORTH "FINLAND"



REF: 50581

CAMARO "VICTORY"



REF: 50583

CITROEN WRC "SOLBERG"



REF: 50574

AUDI R8 "S-LINE"



REF: 50546

# RACING & PRORACE COMPONENTS

## CROWN - PINION RATIO

The crown-pinion ratio determines top speed and acceleration, regular inspections must be made to check for wear of both crown and pinion and to remove dirt.



24z 3/32" REF: 80236

### **INL** IN LINE

Angle of motor pinion to crown is 90°  
Aluminium body, designed with lighter weight  
10 x crown/pinion configurations possible  
Available in 2 sizes.

### LARGE PINION / LARGE CROWN

Ideal for difficult layouts with many fast curves

### LARGE PINION / SMALL CROWN

Top speed at high revs, for large tracks with long straights

### SMALL PINION / LARGE CROWN

Max power for tracks with pronounced slopes, tight bends and winding sections

### SMALL PINION / SMALL CROWN

Ideal for speedway layouts with winding sections



26z 3/32" REF: 80238



27z 3/32" REF: 80240



2x10z REF: 80205

### **AW** ANGLE WINDER

Angle of motor pinion to crown is 25°  
Lighter, better gearing and more compact.  
9 x predetermined configurations  
Lightened and minimized separator, available in 2 sizes.



2 x 3/32" REF: 80430



28z 3/32" REF: 80242



30z 3/32" REF: 80244



2x9z REF: 80204



31z 3/32" REF: 80245



32z 3/32" REF: 80246



33z 3/32" REF: 80247

Lambo. Murcielago  
 Ford Sierra cosworth  
 Lancia D37  
 Mercedes SL5  
 Camaro  
 Citroen C4  
 Lotus Exige  
 Ford GT  
 Ford Fiesta  
 Seat Leon  
 Megane Trophy D9  
 Lamborghini diablo  
 Audi R8

▶ STANDARD	80882	88004	88006	88007	-	80867	80880	80881	88002	-	-	-	80895
▶ PRORACE	80885	-	-	-	-	80875	-	80883	-	-	-	-	-
▶ CHASSIS FOR MOTOR MOUNT	80892	-	-	88003	88001	-	-	80891	-	88005	80890	80894	80893



11z REF: 80248



12z REF: 80249



13z REF: 80250



MOTOR MOUNT REF: 80889



### STANDARD CHASSIS

All NINCO cars have replacement chassis available to substitute the original.



### PRORACE CHASSIS

Made with more resilient material, mechanized motor support, screw for fixing motor into position and transparent in appearance.



### CHASSIS MOTORMOUNT

Designed for competition racing with an independent motor mount.

Insulates the inertia and weight of the motor from the chassis and links the motor to rear drivetrain.



# RACING & PRORACE COMPONENTS



4 x CLASSICS 20 x 7

REF: 80503



4 x RIBBED 19 x 10

REF: 80505



4 x SLICK 19 x 10

REF: 80506



4 x NOBBLED 19 x 10

REF: 80507



4 x RIBBED 20 x 11

REF: 80508



4 x RAID 24,5 x 9,3

REF: 80510



4 x FI/CART 2+2

REF: 80511



4 x HUMMER 26,2 x 11

REF: 80519



4 x SLICK 20,5 x 11,5 LP

REF: 80520



4 x SLICK 20 x 10 LP

REF: 80521

## STANDARD TYRES

An essential element of any car's behaviour. Available in Raid, Ribbed and Slick and in different sizes.

## PRORACE TYRES

To achieve the best grip on any surface and type of race. Rally, Speed, Endurance.

SHORE A-25



4 x RIBBED 19 x 10

REF: 80514

SHORE A-25



4 x SLICK 19 x 10

REF: 80515

SHORE A-25



4 x SLICK 20,5 x 11,5

REF: 80516

SHORE A-25



4 x FI/CART 2+2

REF: 80517

SHORE A-25



4 x SLICK 18 x 10 PERFIL BAJA


REF: 80518

GRIP 0



4 x SLICK 17 x 10 ULTRA BAJA

REF: 80522



	Front tyre	Rear tyre
▶ Lamborghini Murcielago	20 x 10	20,5 x 11,5
▶ Ford Sierra Cosworth	19 x 10	19 x 10
▶ Lancia 037	19 x 10	19 x 10
▶ Mercedes SLS	20 x 10	20,5 x 11,5
▶ Camaro	20 x 10	20,5 x 11,5
▶ Citroën C4 WRC	19 x 10	19 x 10
▶ Lotus Exige	20 x 10	20,5 x 11,5
▶ Ford GT	20 x 10	20,5 x 11,5
▶ Ford Fiesta	19 x 10	19 x 10
▶ Seat Leon	20 x 10	20,5 x 11,5
▶ Megane Trophy 09	20 x 10	20,5 x 11,5
▶ Lamborghini Diabolo	20 x 10	20,5 x 11,5
▶ Audi R8	20 x 10	20,5 x 11,5

	17 X 10	18 X 10	19 X 10	20 X 7	20 X 10	20 X 11	20,5 X 11,5	20,5 X 11,5
▶ CLASSIC				•				
▶ 15"	•	•	•			•		•
▶ 16"	•	•	•		•	•		•
▶ 17" NARROW	•	•	•		•	•		•
▶ 17" WIDE							•	



2+2  
18 RADIOS REF: 80705



4 X CLASSIC REF: 80706



4 X SPEEDLINE  
15" REF: 80711



2+2 BBS 17" REF: 80713

## STANDARD HUBS

Made from plastic with an aesthetic touch to personalize the vehicle. Different sizes depending on car.

## PRORACE HUBS

MAGNESIUM - ALUMINIUM ALLOY  
Balanced and ultra light.  
Anti crumple system.



15" 3/32" REF: 80752



16" 3/32 REF: 80753



17" 3/32" REF: 80754

# RACING & PRORACE COMPONENTS

## MOTORS

Depending on the type of race, the layout of the track and the driving style used, the choice of motor will vary.

## FAST-ON

Easy push on terminals without cables or tools.

## ADAPTOR

Allows the use of short box motors in long box fittings.



REF: 80610



REF: 80612



REF: 80613



REF: 80608



REF: 80615



REF: 80614



REF: 80616



REF: 80617

## MOTORIZATION

g.cm PAR MOTOR force.  
m.A Milliamps, electrical consumption.  
r.p.m Revolutions Per Minute.

TEST 14.8V	NC-5 SPEEDER	NC-7 RAIDER	NC-8 THRUSTER	NC-9 SPARKER	NC-10 EXCEEDER	NC-12 CRUSHER +	NC-14 SPEEDER +
r.p.m	20.000	19.300	16.000	20.000	26.000	23.500	23.600
m.A	140	140	100	125	300	190	175
g.cm	290	265	87	145	300	270	280
SIZE	LARGE	RAID	SHORT	SHORT	LARGE	LARGE	LARGE





4 X STD GUIDE

REF: 80104



4 X GUIDE WITH SUSPENSION

REF: 80106



PRO-ARM GUIDE

REF: 80108



LONG PRO-ARM GUIDE

REF: 80113



10 X STD BRAIDS

REF: 80101



10 X SUPER RACING BRAIDS

REF: 80102



4 X GUIDES

REF: 80111



4 X GUIDES WITH SUSP

REF: 80112

### GUIDES

There are standard guides with or without suspension and Pro-Arm guides for raid category vehicles.

### GUIDES PRORACE

Prorace guides with specific design ensure greater stability in race conditions.



STD BRAID 50 cm

REF: 80103



PRORACE PLATED BRAID 50 cm

REF: 80110

### BRAIDS

Plated and pressed copper wire which, once mounted on the guide, transmit the current from the track to the motor.



100 cm GUIDE CABLE

REF: 80107



100 cm SILICONE CABLE

REF: 80109



100 cm SILICONE CABLE + FAST-ON

REF: 80114

### CABLES

Must be the correct size in each car to ensure the self centring feature of the guide.

### PRORACE BRAIDS

Tin Plated Braid with a narrower diameter to concentrate power and ensure better transmission of power to motor.

# RACING & PRORACE COMPONENTS

## AXLES & BUSHINGS

The axles are anchored to the chassis via bushings that facilitate the turning of the wheel, it is important the axles are completely straight and that the bushings are regularly oiled, to ensure the workability of the car.



49mm / 27z REF: 80401

53,5mm / 27z REF: 80402

46mm / 27z REF: 80410



49mm 32x12z REF: 80418

53,5mm 32x12z REF: 80420



53,5mm 3/32" REF: 80429

## STANDARD AXLE

Axles that come fitted as standard come with crown already fitted to the axle and they measure 2,48mm wide.

## PRORACE AXLE

Perfectly calibrated for competition use due to min weight and durability. 2,38mm wide.



4 x BUSHINGS

REF: 80407



4 x DOUBLE BUSHINGS

REF: 80415




4 x BUSHINGS

REF: 80425



2+2 TRANSMISSION BELT

REF: 80207



KIT 4X4 / 2 PULLEYS + 3 BELTS

REF: 80206



PULLEYS 3/32" REF: 80228

	IN LINE	ANGLE WINDER
▶ Lamborghini Murcielago		●
▶ Ford Sierra Cosworth	●	
▶ Lancia O37	●	
▶ Mercedes SLS		●
▶ Camaro	NINCO I ●	NINCO SPORT ●
▶ Citroën C4 WRC	●	
▶ Lotus Exige		●
▶ Ford GT		●
▶ Ford Fiesta	●	
▶ Seat Leon	NINCO I ●	NINCO SPORT ●
▶ Megane Trophy 08	NINCO I ●	NINCO SPORT ●
▶ 4x BUSHINGS 3/32"		
▶ Lamborghini Diablo	NINCO I ●	NINCO SPORT ●
▶ Audi R8		●



2 x BALL BEARINGS

REF: 80408

## BUSHINGS

Simples o dobles presentan unos orificios para poder lubricarlos sin desmontar el eje.

## 4X4 TRACTION

4x4 Traction system via belts and pulleys, effective and progress

## BELTS

BLACK: Long BLUE: medium RED: Short

## PULLEYS

Available in plastic and engraved aluminium.



NEW

2 x BALL BEARINGS

REF: 80432

## SUSPENSION

Independent shock absorbers to each 4 wheels, to give greater reality to the car's behaviour, there are 3 types of shocks available, identifiable by colour and strength.

SOFT RED / MEDIUM BLUE / HARD YELLOW.




● REF: 80211

● REF: 80212

● REF: 80213

## LIGHTS

Made up from an electronic circuit with accumulator and 4 x led diodes (2 front and 2 rear) with side lights whilst racing and brake lights as the trigger is released to simulate braking.



LIGHTS KIT

REF: 80907

## MAGNETS

The magnet facilitates adhesion to the track but penalizes top speed, in competition magnets are not allowed to demand greater skill from the driver.



2 x 8x5mm CYLINDRICAL

REF: 80303



2 x 13x5x2 RECTANGULAR

REF: 80306



10 x STD 2,2 x 6,5mm

REF: 80901



10 x LARGE 2,2 X 9,5mm

REF: 80902

## STANDARD SCREWS

Their role is to fix the chassis to the body shell, there are 2 lengths available.

## PRORACE SCREWS

Unscrewing lightly the screws, one can compensate inertias and increase flexibility.

Crowns, axles and hubs are attached via steel allen grub screws.



10 x TITANIUM METRIC

REF: 80910



10 x GRUB M2x2 + ALLEN

REF: 80909



# RACING & PRORACE COMPONENTS

## PRORACE BODYSHELLS

- Personalise, replace and repair for competitive use.
- A new concept of spare parts.
- The most competitive models, available piece by piece with moulded lexan interior.
- White finish.

▶ SEAT LEON	<b>NEW</b>	REF: 80896
▶ FORD FIESTA	<b>NEW</b>	REF: 80897
▶ CAMARO	<b>NEW</b>	REF: 80898
▶ MERCEDES SLS	<b>NEW</b>	REF: 80899



FORD GT

REF: 80884



MURCIELAGO

REF: 80886



MEGANE TROPHY 09

REF: 80887



MOSLER MT 900R

REF: 80861



PORSCHE 997

REF: 80862



AUDI R8

REF: 80888



LAMBORGHINI GALLARDO

REF: 80864



LEXUS SC 430

REF: 80868




ACURA LMP

REF: 80879

## PINION EXTRACTOR TOOL

Tool made from tempered steel to remove and fit all types of pinions for both in-line and anglewinder set ups. They can also extract and fit the 4x4 pulley system from axles.



REF: 80201




LLAVE ALLEN M2

REF: 80908

	SIZE mm	LENGHT mm	REF. TOOLS	REF TIPS
⊕ BALL HEAD ALLEN	1.5	120	NH91001	NH91011
⊙ ALLEN	0.9	120	NH91002	NH91012
⊙ ALLEN	2.0	120	NH91003	NH91013
⊙ ALLEN	2.5	120	NH91004	NH91014
⊙ ALLEN	3.0	120	NH91005	NH91015
+ PHILIPS	2.0	120	NH91006	NH91016
- FLAT HEAD	3.0	115	NH91007	NH91017
⊙ SOCKET	4.5	100	NH91008	-
⊙ SOCKET	5.5	100	NH91009	-

⊕ BALL HEAD ALLEN



⊙ ALLEN



+ PHILIPS



- FLAT HEAD



⊙ SOCKET



## PRORACE TOOLS

The new range of competition tools to adjust car set-ups with maximum precision and ease. Anti-slip handles with movable heads and changeable tips.



## 155 ALU-MINI

- 2CH Transmitter
- IR Tri-Band transmitter
- Rotor diameter 155mm
- For indoor flight
- Coaxial
- Charge directly from transmitter
- Optional charger from USB



## 145 COPTER

- 3CH Transmitter
- IR Tri-Band transmitter
- Rotor diameter 145mm
- For indoor flight
- Coaxial
- Charge directly from transmitter
- Spare parts available
- 6 x AA batteries included







**EC135**  
**GUARDIA CIVIL** REF: NH90041



**EC135**  
**SEM** REF: NH90036



**EC135**  
**MOSSOS** REF: NH90040



**EC135**  
**POLICIA** REF: NH90035



**EC135**  
**RESCUE** REF: NH90042

## EC 135

- 3CH Transmitter
- IR Tri-Band transmitter
- Rotor diameter 180mm
- For indoor flight
- Coaxial
- Charge directly from transmitter
- Optional charge from USB
- Spare parts available
- 6 x AA Batteries included
- Gyro (Electronic stabilizer)





ALU G REF: NH90021

## 180 ALU G



- 3CH Transmitter
- IR Tri-Band transmitter
- Rotor diameter 180mm
- For indoor flight
- Coaxial
- Charge directly from transmitter
- Optional charger from USB
- Spare parts available
- 6 x AA batteries included
- Gyro (Electronic stabilizer)



SWIFT REF: NH90045

## 180 SWIFT G



- 3CH Transmitter
- IR Tri-Band transmitter
- Rotor diameter 180mm
- For indoor flight
- Coaxial
- Charge directly from transmitter
- Spare parts available
- 6 x AA batteries included
- Gyro (Electronic stabilizer)
- 2 x Battery included












## 180 VLOST G

-  3CH Transmitter
-  Radio 2,4 Ghz
-  Rotor diameter 180mm
-  For indoor flight
-  Coaxial
-  Charge directly from transmitter
-  Spare parts available
-  6 x AA batteries included
-  Gyro (Electronic stabilizer)



VLOST G REF: NH90052

## 125 NANO G

-  3CH Transmitter
-  IR Tri-Band transmitter
-  Rotor diameter 125mm
-  For indoor flight
-  Coaxial
-  Charge directly from transmitter
-  Optional charge from USB
-  Spare parts available
-  6 x AA Batteries included



ALU-NANO REF: NH90033



EC135 NANO REF: NH90044














**SUPER COBRA** REF: NH90047



**APACHE** REF: NH90048



## 180 ARMY G SERIES

-  3CH Transmitter
-  IR Tri-Band transmitter
-  Rotor diameter 180mm
-  For indoor flight
-  Coaxial
-  Battery and Charger included
-  Spare parts available
-  6 x AA batteries included
-  Gyro (Electronic stabilizer)







**BLACK HAWK** REF: NH90046





## 255 AVANT G

-  3CH Transmitter
-  Radio 40/27 Mhz
-  Dual Rate
-  Rotor diameter 255mm
-  For indoor flight
-  Coaxial
-  Battery and Charger included
-  Spare parts available
-  6 x AA Batteries included
-  Gyro (Electronic stabilizer)



RESCUE REF: NH90029



BLUE REF: NH90028









**FIRE RESCUE** REF: NH90050



**BLACK HAWK** REF: NH90049



## 265 FIRE RESCUE

-  3CH Transmitter
-  Radio 27 Mhz
-  Dual Rate
-  Rotor diameter 265mm
-  For indoor flight
-  Coaxial
-  Battery and Charger included
-  Spare parts available
-  6 x AA batteries included
-  Gyro (Electronic stabilizer)











## 265 BLACK HAWK

-  3CH Transmitter
-  Radio 27 Mhz
-  Dual Rate
-  Rotor diameter 265mm
-  For indoor flight
-  Coaxial
-  Battery and Charger included
-  Spare parts available
-  6 x AA batteries included
-  Gyro (Electronic stabilizer)





## 340 ALU-TWIN G

-  3CH Transmitter
-  Radio 27/40 Mhz
-  Rotor diameter 340mm
-  For indoor flight
-  Coaxial
-  Battery and charger included
-  Spare parts available
-  6 x AA Batteries included
-  Gyro (Electronic stabilizer)



ALU-TWIN G REF: NH90026

## 378 ALU-ONE G

-  3CH Transmitter
-  Radio 27 Mhz
-  Rotor diameter 378mm
-  For indoor flight
-  Single blade
-  Battery and charger included
-  Spare parts available
-  6 x AA Batteries included
-  Gyro (Electronic stabilizer)









ALU-ONE G REF: NH90037



ALUMAX G REF: NH90023



## 535 ALUMAX G

-  3CH Transmitter
-  Radio 27/40 Mhz
-  Dual Rate
-  Rotor diameter 535mm
-  For indoor flight
-  Coaxial
-  Battery and Charger included
-  Spare parts available
-  8 x AA batteries included
-  Gyro (Electronic stabilizer)












PHOENIX REF: NH90039



EVO REF: NH90038

## 190 SERIES

-  4CH Transmitter
-  Radio 2,4 Ghz
-  Rotor diameter 190mm
-  For indoor flight
-  Coaxial
-  Charge directly from transmitter
-  Optional charge from USB
-  Spare parts available
-  6 x AA Batteries included





# HELITRUCK

REF: NH90051

- CH 3CH Transmitter
- ABC IR Tri-Band transmitter
- Rotor diameter 165mm
- For indoor flight
- Coaxial
- Battery and Charger included
- Gyro (Electronic stabilizer)

- CH 2CH Transmitter
- ABC IR Tri-Band transmitter
- Lights and sounds



# HAND LAUNCH

REF: NH92020 RED WING

REF: NH92021 BLACK WING

- RTF Ready To Fly
- Wingspan 550 mm
- Length 510 mm
- Weight 55gr
- EPP Made from EPP
- Initiation level



## MINI

REF: NH92001

- RTF** Ready To Fly
- CH** Transmitter 2CH
- 27Mhz AM**
- Wingspan 506 mm**
- Length 400 mm**
- 2 motors**
- Made from EPP and foam**
- Initiation level**
- Ni-Mh Battery 4,8V / 180mAh**



## TWIN FLYER

REF: NH92002

- RTF** Ready To Fly
- CH** Transmitter 2CH
- 27Mhz AM**
- Wingspan 1080 mm**
- Length 760 mm**
- 2 motors 370**
- Made from EPP**
- Initiation level**
- Ni-Mh Battery and charger included 8,4V / 1.300mAh**



# FIRST GLIDER

REF: NH92004

- RTF** Ready To Fly
- CH** Transmitter 3CH
- 35Mhz FM**
- Wingspan 1380 mm**
- Length 900 mm**
- Weight 580 gr**
- Motor 380**
- EPP** Made from EPP
- Initiation level**
- Ni-MH Battery and Charger included**  
8.4V / 1.300mAh



# POWER JET

REF: NH92005

- RTF** Ready To Fly
- CH** Transmitter 3CH
- 35Mhz FM**
- Wingspan 780 mm**
- Length 860 mm**
- Weight 430 gr**
- Motor 380**
- EPP** Made from EPO
- Intermediate level**
- Ni-Mh Battery and charger included**  
8.4V / 600mAh





# CESSNA

## TURBO STATIONAIR

REF: NH92018

- RTF** Ready To Fly
- CH** Transmitter 4CH
- 2,4Ghz**
- Wingspan 1080 mm**
- Length 970 mm**
- Weight 610 gr**
- Steerable front wheel**
- Brushless Motor 1300 Kv**
- Made from EPP and foam**
- Intermediate level**
- Li-Po Battery and charger included**

7,4V / 1,700mAh



# PIPER CUB

REF: NH92003

- RTF** Ready To Fly
- CH** Transmitter 3CH
- 35Mhz FM**
- Wingspan 955 mm**
- Length 730 mm**
- Weight 515 gr**
- Motor 380**
- Made from EPP**
- Intermediate level**
- Ni-Mh Battery and charger included**

8,4V / 600mAh















# CESSNA

## SKYLANE

REF: NH92019 RTF VERSION

REF: NH92016 ARF VERSION

-  **Transmitter 6CH** (ARF VERSION NOT INCLUDED)
-  **2,4Ghz**
-  **Wingspan 1410 mm**
-  **Length 1100 mm**
-  **Weight 1520 gr**
-  **Brushless motor 900 Kv**
-  **Injected Foam / Moulded Plastic**
-  **Expert level**
-  **Flight lights**
-  **Li-Po Battery and charger included**  
11,1V / 2.200mAh
















# CESSNA CORVALIS TT

REF: NH92013 RTF VERSION

REF: NH92014 ARF VERSION

-  **Transmitter 4CH** (ARF VERSION NOT INCLUDED)
-  **2,4Ghz**
-  **Wingspan 1400 mm**
-  **Length 1020 mm**
-  **Weight 1240gr**
-  **Brushless Motor 800 Kv**
-  **Injected Foam / Moulded Plastic**
-  **Expert level**
-  **Li-Po Battery and charger included**  
11,1V / 1.800mAh
















# GLIDER SPORT

REF: NH92011 RTF VERSION

REF: NH92012 ARF VERSION

-  Transmitter 4CH (VERSION ARF NOT INCLUDED)
-  2,4Ghz
-  Wingspan 1500 mm
-  Length 760 mm
-  Weight 600gr
-  Motor brushless 1050Kv
-  Made from EPO
-  Intermediate level
-  Li-Po Battery and charger included  
7,4V / 1500mAh














INCLUDES 2 TAIL WINGS

# GLIDER PRO

REF: NH92017 RTF VERSION

REF: NH92008 ARF VERSION

-  **Transmitter 4CH** (ARF VERSION NOT INCLUDED)
  -  **2.4Ghz**
  -  **Wingspan 2.000 mm**
  -  **Length 1.200 mm**
  -  **Weight 820gr**
  -  **Brushless Motor 700Kv**
  -  **Made from EPO**
  -  **Expert level**
  -  **Li-Po Battery and charger included**
- 11,1V / 1500mAh



## SEA JET

- 2CH Transmitter
- Radio 27/40Mhz
- 135mm x 50mm
- Battery and Charger included



**YELLOW**

REF: NH99010



**BLUE**

REF: NH99011

## ODISSEY

- 2CH Transmitter
- Radio 40 Mhz
- 2 x Motor
- 200mm x 57mm
- Battery and charger included



REF: NH99009



## PRIORITY

-  2CH Transmitter
-  Radio 40 Mhz
-  2 x Motor
-  480mm x 190mm
-  Battery and charger included

REF. NH99002



## CREWLESS

-  2CH Transmitter
-  Radio 40 Mhz
-  2 x Motor
-  622mm x 270mm
-  Battery and charger included

REF. NH99008



## FREEDOM

- CH 2CH Transmitter + save return device
- 600mm x 100mm X 870mm
- 2 x servo
- Batteries included

FREEDOM

REF: NH99001



## BANDIT & OFFSHORE

- CH 2CH Transmitter FM
- Motor Water cooling
- Bandit 265 x 72mm
- Offshore 270 x 70mm
- ESC ESC 5A
- Radio 27Mhz Digital proportional
- Battery and charger included

BANDIT  
RCSPEED BOAT

REF: NH99004



OFFSHORE  
RCSPEED BOAT

REF: NH99003










## DELTA

-  2CH Transmitter
-  2 x Motor
-  Battery and charger included
-  Radio 40Mh
-  350mm x 200mm

REF: NH99007



## SWORDFISH & RIVER SHARK

-  2CH Transmitter FM
-  Motor 370 Water cooling
-  SwordFish 420 x 125mm
-  RiverShark 420 x 110mm
-  ESC 10A
-  Radio 27Mhz Digital proportional
-  Battery and charger included



REF: NH99006



REF: NH99005





# MAXIM

REF: NH93021

SCALE 1/5



SWAY BARS FITTED



SERVOS 20Kg / 9Kg



POWERFUL MOTOR 26c.c.



DOWN FORCE WING



# E-MAXIM

REF: NH93025


SCALE 1/5



SWAY BARS FITTED



BRUSHLESS MOTOR 1.220 KV



2 X BATTERY 3.700mAh 7.4 V



DOWN FORCE WING



# STAMPEZ

REF: NH93006

SCALE 1/8



READY TO RUN

RTR



4 WHEEL DRIVE

4WD



RADIO

2,4  
Ghz



FUEL

NITRO



PIVOT BALL SYSTEM



ALUMINIUM EXHAUST PIPE



MOTOR 21 (3.5 c.c)



ALUMINIUM CHASSIS STIFFENER




# E-STAMPER

REF: NH93026

SCALE 1/8



PIVOT BALL SYSTEM



BRUSHLESS MOTOR 3.000 KV



ALUMINIUM CHASSIS STIFFENER



DOWN FORCE WING


# BLAZER

REF: NH93022

SCALE 1/10




LENTICULAR WHEELS



TURNBUCKLES



MOTOR 16



ALUMINIUM CHASSIS



# XB-10

REF: NH93010 BRUSHED VERSION

REF: NH93013 BRUSHLESS VERSION

SCALE 1/10



**BRUSHED VERSION**



MOTOR RC 540 / ESC W/R

**FEATURES**

**TURNBUCKLES  
DIGITAL PROPORTIONAL  
HIGH RESISTANCE LEXAN BODY  
BATTERY AND CHARGER INCLUDED**

**BRUSHLESS VERSION**



MOTOR 3.300 KV / ESC 75A



# X-TREM CRAWLER

REF: NH93011

SCALE 1/10



READY TO RUN  
**RTR**

4 WHEEL DRIVE  
**4WD**

RADIO  
**2,4**  
Ghz

INCLUDED  
BATTERY  
1.800mAh  
& CHARGER



BENDLOCK WHEELS



SLIDER DRIVESHAFTS



ALUMINIUM CHASSIS



LONG WHEEL BASE



# SLIDER

REF: NH93014 BRUSHED VERSION

REF: NH93015 BRUSHLESS VERSION

SCALE 1/10



- READY TO RUN  
**RTR**
- 4 WHEEL DRIVE  
**4WD**
- RADIO  
**2,4 Ghz**
- INCLUDED  
BATTERY  
1.800mAh  
& CHARGER

## BRUSHED VERSION



MOTOR RC 540 / ESC W/R

## FEATURES

TURNBUCKLES  
DIGITAL PROPORTIONAL  
HIGH RESISTANCE LEXAN BODY  
BATTERY AND CHARGER INCLUDED

## BRUSHLESS VERSION



MOTOR 3.300 KV / ESC 75A



# MERCEDES SLS GT3

AMG

REF: NH93027 BRUSHED VERSION

REF: NH93028 BRUSHLESS VERSION

SCALE 1/10



READY TO RUN  
**RTR**

4 WHEEL DRIVE  
**4WD**

RADIO  
**2,4**  
Ghz

INCLUDED  
BATTERY  
1.800mAh  
& CHARGER

## BRUSHED VERSION



MOTOR RC 540 / ESC W/R

## FEATURES

TURNBUCKLES  
DIGITAL PROPORTIONAL  
HIGH RESISTANCE LEXAN BODY  
BATTERY AND CHARGER INCLUDED

## BRUSHLESS VERSION



MOTOR 3.300 KV / ESC 75A

# MEGANE TROPHY V6

REF: NH93012 BRUSHED VERSION

REF: NH9305 BRUSHLESS VERSION

SCALE 1/10



READY TO RUN  
**RTR**

4 WHEEL DRIVE  
**4WD**

RADIO  
**2,4**  
Ghz

INCLUDED  
BATTERY  
1.800mAh  
& CHARGER

## BRUSHED VERSION



MOTOR RC 540 / ESC W/R

## FEATURES

TURNBUCKLES  
DIGITAL PROPORTIONAL  
HIGH RESISTANCE LEXAN BODY  
BATTERY AND CHARGER INCLUDED

## BRUSHLESS VERSION



MOTOR 3.300 KV / ESC 75A



# DOT XB-16

REF: NH93007 BRUSHED VERSION

REF: NH93016 BRUSHLESS VERSION

SCALE 1/16



READY TO RUN  
**RTR**

4 WHEEL DRIVE  
**4WD**

RADIO  
**2,4**  
Ghz

INCLUDED  
BATTERY  
1100mAh  
& CHARGER

## BRUSHED VERSION



MOTOR RC 380 / ESC W/R

## FEATURES

TURNBUCKLES  
DIGITAL PROPORTIONAL  
HIGH RESISTANCE LEXAN BODY  
BATTERY AND CHARGER INCLUDED

## BRUSHLESS VERSION



MOTOR 4.300 KV / ESC 25A

# VOLKAN

## SC-16

REF: NH93023 BRUSHED VERSION

REF: NH93024 BRUSHLESS VERSION

SCALE 1/16



READY TO RUN  
**RTR**

4 WHEEL DRIVE  
**4WD**

RADIO  
**2,4**  
Ghz

INCLUDED  
BATTERY  
1.100mAh  
& CHARGER

### BRUSHED VERSION



MOTOR RC 380 / ESC W/R

### FEATURES

TURNBUCKLES  
DIGITAL PROPORTIONAL  
HIGH RESISTANCE LEXAN BODY  
BATTERY AND CHARGER INCLUDED

### BRUSHLESS VERSION



MOTOR 4.300 KV / ESC 25A



# MERCEDES SLS GT3

AMG

REF: NH93029 BRUSHED VERSION

REF: NH93030 BRUSHLESS VERSION

SCALE 1/16



## BRUSHED VERSION



MOTOR RC 380 / ESC W/R

## FEATURES

TURNBUCKLES  
DIGITAL PROPORTIONAL  
HIGH RESISTANCE LEXAN BODY  
BATTERY AND CHARGER INCLUDED

## BRUSHLESS VERSION



MOTOR 4.300 KV / ESC 25A

# STONE CRAWLER

REF: NH93008

SCALE 1/18



BENDLOCK WHEELS



SLIDER DRIVESHAFTS



ALUMINIUM CHASSIS



LONG WHEEL BASE



# SOLAR CAR

SCALE 1/16



REF: NH93033

- RTR  
2WD  
Two charging mode  
- Solar  
- USB  
No batteries required



SCALE 1/14



YELLOW

REF: NH93031



ORANGE

REF: NH93032



## PARK RACERS

- RTR  
Radio 27Mhz  
2WD  
High resistance lexan body  
Trim function  
Ni-MH battery and charger included  
4,8v / 500 mAh



SCALE 1/16

**NINCO RC**



**QUANTUM**

REF: NH93017



**KODAK**

REF: NH93018



**DESERT**

REF: NH93019



**WARRIOR**

REF: NH93020



**PARK RACERS**

RTR  
 Radio 27Mhz  
 2WD  
 High resistance lexan body  
 Trim function  
 Ni-MH battery and charger included  
 4.8v / 500 mAh